iTour


Personal Water-resistant Voice Amplifier

Operation manual



Congratulations and thank you for purchasing this personal water-resistant voice amplifier. To ensure a trouble-free operation, please read the manual thoroughly to fully understand its controls and functions.

In the box




Charging the battery


If the battery indicator turns solid RED, the battery might not be sustainable for long operation and needs to be charged.



Charging indicator	Condition
Flash RED	During recharging
Solid GREEN	Fully charged
Solid ORANGE	Error or no battery detected

Parts and functions






Battery replacement


1 Rotate the clip to remove from the unit.



2 Remove the battery cover.



 $oldsymbol{3}$ Insert four AA batteries and replace the cover.




Using the headset microphone


1 Plug a headset microphone with a 3.5mm plug to **MIC IN**.



2 Turn ON master POWER and adjust master volume to desired level.



 $oldsymbol{3}$ To avoid feedback, DO NOT face the microphone to the speaker.




Operating BLUETOOTH receiver (BT)

1 Turn on master POWER and then press the switch button (BT) 3 seconds to turn on the BLUETOOTH receiver. The pairing indicator will flash green.



And then the indicator will flash green and red. The amplifier is ready for pairing.



2 Activate BLUETOOTH on your device (phone, tablet, PC., etc) and pair with external BLUETOOTH device named "BT AUDIO". After successful linking, the pairing indicator will be solid green and you can play your music on iTour.



3 Adjust master volume control to a desired level.



Important


- The BLUETOOTH automatically turns off after no pairing for 5 minutes.
- Press switch button (BT) for disconnection and getting ready for new pairing.
- The BLUETOOTH can memorize and automatically connect to last-paired device.

Music audio input (MUSIC IN)- Smart phone / tablet / MP3 player

1 Connect your device to the 3.5mm jack of **AUX IN** with a 3.5mm 3-pole stereo audio cable.



2 Turn ON master POWER and adjust master volume to desired level.



CHIAYO ELECTRONICS CO., LTD.

 $\label{lem:http://www.chiayo.com.tw} $$ Http://www.chiayo.com.tw Office: 30, Lane 27, Section 4, Jen-Ai Road, Taipei 10685, Taiwan Tel: 886-2-27415741 | Fax: 886-2-27525242$

Factory: 88, Chung-Hsiao Street 2, Chiayi 60080, Taiwan

Tel: 886-5-2711000 | Fax: 886-5-5767611



12I1392A